


codutti

OFFICE collection CHAIRS

01 DIAMOND







VOLUME: 0,593 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in poplar plywood 25 mm thick.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base in ash solid wood or die-cast aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 170 mm, chromium plated. **CASTORS:** Double self-braking castor, black nylon and aluminium rubber, diam. 65 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.

OTHERS: Fixed versions feature a glide base in ash solid wood or chromium plated steel. The hollow in the armrests, for an ergonomic chair use, and the rised frieze pattern on the back is available in plain colours to match coverings or in leather with gold or silver finish.













MODEL: Minos CODE: E/51GO

GROSS WEIGHT: 39,5 kg VOLUME: 0,6175 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in plywood.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base: ash solid wood and laquered steel.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt

locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 170 mm, black.

CASTORS: Double self-braking castor, black nylon and aluminium rubber, diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.

OTHERS: Fixed armchairs feature an exposed body in solid wood lacqueed with several coats of matt finish polyuretane varnish. The seat is fitted with springs to maximise confort. Tubchair feature a steel frame leather covered in the part at sight.



117 47









MODEL: Coupe' CODE: C/401GO

GROSS WEIGHT: 21,6 kg VOLUME: 0,4989 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick.

ARMRESTS: polished die-cast aluminium with a padded covered insert. **PADDING:** Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base in die-cast aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt

locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated. **CASTORS:** Double self-braking castor, black nylon and aluminium rubber, diam. 65 mm.

FEET: Conical feet diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.

OTHERS: Fixed versions feature 5-spoke swivel base in die-cast aluminium with conicle

fixed feet or a glide base in chromium plated steel.













121 45

62 63 113 54 104 45

C/404M

102 43

C/406


C/407











GROSS WEIGHT: 24,6 kg VOLUME: 0,4989 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in MDF 30 mm thick.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base: ash solid wood or die-cast aluminium; glide base: chromium

plated steel.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 170 mm, black.

CASTORS: Double self-braking castor, black nylon and aluminium rubber, diam. 65 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as for Codutti Sample Book.

OTHERS: Fixed versions feature 5-spoke swivel base in die-cast aluminium with conicle fixed feet or a glide base in chromium plated steel.













MODEL: One Plus CODE: YP/281GO GROSS WEIGHT: 18 kg

VOLUME: 0,47 mq

The mechanism is certified ISO 21015:2007, EN and BIFMA, for 24 hour use and maximum weight of 150 kilo, in accordance with the norm BS 5459: Part 2:2000. The mechanism complies with USA Lead Paint Norm, 16 CFR Part 1303 12/21/2008.



TECHNICAL DATA

INNER FRAME: Seat and backrest shell in stratified curved beech plywood 13 mm thick; wooden inner panel in stratified curved plywood 5 mm thick.

PADDING: Smart Memory polyurethane resin, different density for seat, backrest, lumbar support, armrests to maximise comfort.

BASE: 5-spoke swivel base in polished aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 4 positions tilt locking by lever, side tension adjustment with automatic location return.

GAS LIFT: Pneumatic seat height adjustment, gas lift column, chromium plated cone.

CASTORS: Double black castor, polyurethane rubber, diam. 60 mm, without brake.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as for Codutti Sample Book.

OTHERS: Fixed armchairs feature a 4 spoke chromed base with anti-slip glides. Stolls features chromed square base 420 x 420 mm, gas lift for height adjustment, swivel and chromed footrest.













MODEL: One CODE: Y/181GO GROSS WEIGHT: 17 kg

VOLUME: 0,39 mq

The mechanism is certified ISO 21015:2007, EN and BIFMA, for 24 hour use and maximum weight of 150 kilo, in accordance with the norm BS 5459: Part 2:2000. The mechanism complies with USA Lead Paint Norm, 16 CFR Part 1303 12/21/2008.



TECHNICAL DATA

INNER FRAME: Seat shell in stratified curved beech plywood 16 mm thick.

ARMRESTS: Bent round-welded steel diam. 22 mm, chromium plated and partially covered. **PADDING:** Smart Memory polyurethane resin, different density for seat, backrest, lumbar support, armrests to maximise comfort.

BASE: 5-spoke swivel base in polished aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 4 positions tilt locking by lever, side tension adjustment with automatic location return.

GAS LIFT: Pneumatic seat height adjustment, gas lift column, chromium plated cone. **CASTORS:** Double black castor, polyurethane rubber, diam. 60 mm, without brake.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as for Codutti Sample Book.

OTHERS: Low back chairs feature a free standing mechanism, pneumatic seat height adjustment and swivel. Fixed armchairs feature a 4 spoke chromed base, a free standing mechanism, swivel with self-return mechanism when the user stands up, a self return column with shock absorber, chrome ABS feet with polyamide lower part.








69 69 92,5 45 103 55,5







GROSS WEIGHT: 20 kg VOLUME: 0,499 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick.

ARMRESTS: Extruded aluminium and chromed steel frame, partially leather covered.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base in die-cast aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt

locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated. **CASTORS:** Double self-braking castor, black nylon and aluminium rubber suitable for

parquet, diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; leather, fabric,

suede, boiled whool as for Codutti Sample Book for frontal soft parts.

OTHERS: Fixed versions feature 5-spoke swivel base in die-cast aluminium with conicle


fixed feet, diam. 50 mm. Tubchair feature a chromed steel frame at sight.















CODE: S/271GO

GROSS WEIGHT: 20 kg VOLUME: 0,499 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick.

ARMRESTS: Extruded aluminium and chromed steel frame, partially leather covered.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base in die-cast aluminium.

MECHANISM: Tilt mechanism with knee-tilt mechanism, 16° tilt angle, 6 positions tilt

locking by lever, side tension adjustment crank.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated.

CASTORS: Double self-braking castor, black nylon and aluminium rubber suitable for parquet, diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; lather, fabric,

suede, boiled whool as for Codutti Sample Book for frontal soft parts.

OTHERS: Fixed versions feature 5-spoke swivel base in die-cast aluminium with conicle

fixed feet, diam. 50 mm or a glide base in chromium plated steel, diam. 16 mm.






124 46









S/167

COSMO



MODEL: Cosmo CODE: B/801GO

GROSS WEIGHT: 25,4 kg VOLUME: 0,3735 mq

TECHNICAL DATA

INNER FRAME: Seat shell in curved beech plywood 14 mm thick; armrests shell in curved

birch plywood.

PADDING: Polyurethane stress resistant foam admixed with fire retardant.

BASE: 5-spoke swivel base die-cast aluminium.

MECHANISM: Small knee tilt lockable in 4 positions and unlockable with "anti-shock"

function, gas lift lever and knob for tension adjustment.

GAS LIFT: Pneumatic seat height adjustment, gas lift column h 215 mm, chromium plated. CASTORS: Double self-braking castor, black nylon and aluminium rubber suitable for

parquet, diam. 50 mm.

UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; leather or trendy

boiled whool as for Codutti Sample Book for frontal part.

OTHERS: Fixed versions feature a glide base in chromium plated steel.














B/806





GROSS WEIGHT: 25,4 kg VOLUME: 0,3735 mq



TECHNICAL DATA

INNER FRAME: Seat shell in curved plywood. PADDING: Polyurethane stress resistant foam. BASE: 5-spoke swivel base die-cast aluminium. MECHANISM: Tilt mechanism front/back 6°.

GAS LIFT: Pneumatic seat height adjustment, chromium plated.

CASTORS: Adjustable brake castor Silent Pin, black nylon and aluminium rubber suitable for

parquet, diam. 65 mm. **UPHOLSTERY:**. Mirage fabric.

OTHERS: Fixed versions include stool, lounge and ottomana elements. They feature a glide

base available in chromium plated steel.











MODEL: Jet

GROSS WEIGHT: 25,4 kg VOLUME: 0,3735 mq



TECHNICAL DATA

FRAME: Black or white Poliammide Nylon and fiberglass.

BACK: Black mash or padded back. **ARMRESTS:** Height adjustable armrests.

PADDING: Polyurethane foam.

BASE: Polished aluminium pyramid base with black wheels. **MECHANISM:** 4 positions syncro mechanism with tensioner.

UPHOLSTERY: White or black Mirage fabric.

OTHERS: Guest version feature a sled frame in chromed round pipe, seat and back in

plastic.





MODEL: Diamond Sofa

CODE: D/609

TECHNICAL DATA

INNER FRAME: Frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam on woven straps.

BASE: Curved MDF bases ash wood veneered coated with a matt varnish.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.

OTHERS: The rised frieze pattern on the back is available in plain colours to match coverings or in leather with gold or silver finish. Joints between sides are enhanced with a chrome plated or 24-carat gold plated metal flush element.





MODEL: Minos Sofa

CODE: E/59

TECHNICAL DATA

INNER FRAME: Self supporting frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam.

ARMRESTS: Armrest, bubinga wood veneered, form a continuing structure with feet.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.





MODEL: Coupè Sofa

CODE: C/409

TECHNICAL DATA

INNER FRAME: Frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam.

BASE: Curved plywood bases leather covered and finished with a chromed insert.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.

OTHERS: The edging can can be in a color in contrast with the rest of the sofa.





C/410



MODEL: One Plus Sofa

CODE: YP/289

TECHNICAL DATA

INNER FRAME: self supporting wooden frame in plywood, varying thickness.

PADDING: Polyurethane flexible foam.

BASE: Chromed steel 4 feet base.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.







MODEL: Genesis Sofa

CODE: S/169

TECHNICAL DATA

INNER FRAME: Frame in plywood, varying thickness, and solid beech wood.

PADDING: Polyurethane flexible foam on woven straps. **BASE:** Chromed steel and polished aluminium base at sight.

UPHOLSTERY: Handcraft saddle stitched barriered leather for the back; leather, fabric,

suede, boiled whool as for Codutti Sample Book for frontal soft parts and armrests.





MODEL: Tecno Sofa

CODE: BI/809

TECHNICAL DATA

INNER FRAME: Self supporting wooden frame in plywood, varying thickness, and solid

beech wood.

PADDING: Polyurethane flexible foam on woven straps. **BASE:** Triangular section chromed steel base at sight.

UPHOLSTERY: Handcraft saddle stitched barriered leather, fabric, suede, boiled whool as

for Codutti Sample Book.







Codutti Furniture Srl

Via Bonavilla, 34 - Fr. Passons - 33037 Pasian di Prato (Udine) - ITALY Tel: +39 0432 541414 | www.codutti.it

OFFICE collection CHAIRS